

## VIACRETE Filler C

### **Technical Data Sheet**

Product 07111541

VIACRETE Filler comp. C for VIACRETE-systems

# 1 General Data

# **Application**

VIACRETE Filler C is used as filler in different VIACRETE systems.

The grading curve and the mixing amount is adjusted to the mixing ratios of the corresponding product to produce the system specific properties.

## **Product description**

VIACRETE Filler C is a mixture of natural, oven dried quartz sands and cementitious parts.

The filler is used in following products:

VIACRETE PU-SC VIACRETE PU-MF VIACRETE PU-HF

**Note**: The filler is a mixture of natural quartz with cementitous parts. Store and transport always under dry conditions.

# Processing

The consumption rates are in the corresponding technical product and system data sheet and in the VIACRETE application guideline.

For filling: The resin parts A and B are mixed with a suitable stirrer, then the filler must be added and mixed until mixture is homogenous. Since the filler can settle, the product should then be applied to the floor as quickly as possible. VIACRETE Filler C is used exclusively for filling of VIACRETE products and can not be used in other liquid resins.

### **Technical support**

For system build up possibilities and detailed information relating to the laying of VIASOL products, please refer to the VIASOL System Planner or contact VIACOR Polymer GmbH directly.

Phone:+49 (0)7472-949990 E-Mail: info@viacor.de

# Warnings and precautions

Information relating to the safe handling of this product can be found in the Material Safety Data Sheet. Local regulations concerning the safe handling of epoxy resin based coating materials must be observed.

Suitable protective clothing including suitable eye protection must be worn.

(A) Technical Data		
Solid product		
1.	Solid content	100 %
2.	Density	2.7 g/cm <sup>3</sup>
3.	Packaging size	21 kg bags
4.	Shelf life (20 °C)	6 month
5.	Storage conditions	dry at 5 – 25°C

#### **Disclaimer**

All information in this technical data sheet is based on our current knowledge and experience. This does not release the applicator from performing their own tests as many application factors, beyond our control, affect the application of our product. No guarantee of characeristics or suitability for a special purpose can be derived from this information. All present data, descriptions, drawings, photos, ratios, weights etc. are subject to change without prior notice and do not represent contracted characteritics of the product.

Due to different materials, sub-bases and working conditions, no guaratee of an application result or any liability claims can be derived from these details or from an unwritten technical advice except for liability claims based on:

-damage to life, body or health resulting from a negligent violation of obligations or a deliberate or negligent vialation of obligation of a legal representative or assistant and -if we are charged with intention or gross negligence.

The user has to test the products for their intended use. The user is responsible for following existing laws and orders and for observing third party trade mark rights.

As all VIACOR data sheets are updated on a regular basis it is the users responsibility to obtain the most recent issue (see <a href="https://www.viacor.de">www.viacor.de</a> or contact us directly).

#### Manufacturer: