

Product 07111545 VIACRETE Filler comp. D, for VIACRETE-PU-HF

## 1 General Data

### Application

VIACRETE Filler D is used as additional filler in VIACRETE PU-HF.

The grading curve and the mixing amount is adjusted to the mixing ratios of the corresponding product to produce the system specific properties.

### Product description

VIACRETE Filler D is a hard grain mixture from of calcined flint.

The filler is used in following product:

VIACRETE PU-HF

**Note:** The filler is a mixture of dried flint. Store and transport always under dry conditions.

### Processing

The consumption values can be found in the corresponding installation instructions as well as in the product or system data sheets.

For filling: The resin and hardener components are premixed with a suitable stirrer, then the filler is added and mixed well. The mixture gives a thixotropic but still flowable mortar. VIACRETE Filler D is used exclusively for filling in VIACRETE PU-HF or for sprinkling in VIACRETE PU-HF and can not be used in other liquid resins.

### Technical support

For system build up possibilities and detailed information relating to the laying of VIASOL products, please refer to the VIASOL System Planner or contact VIACOR Polymer GmbH directly.

Phone: +49 (0)7472-949990

E-Mail: [info@viacor.de](mailto:info@viacor.de)

### Warnings and precautions

Information relating to the safe handling of this product can be found in the Material Safety Data Sheet. Local regulations concerning the safe handling of epoxy resin based coating materials must be observed.

Suitable protective clothing including suitable eye protection must be worn.

### (A) Technical Data

#### Solid product

1. Solid content	100 %
2. Density	2.5 g/cm <sup>3</sup>
3. Packaging size	10.5 kg plastic pails
4. Shelf-life (20 °C)	12 month
5. Storage conditions	dry at 5 – 25°C

### Disclaimer

All information in this technical data sheet is based on our current knowledge and experience. This does not release the applicator from performing their own tests as many application factors, beyond our control, affect the application of our product. No guarantee of characteristics or suitability for a special purpose can be derived from this information. All present data, descriptions, drawings, photos, ratios, weights etc. are subject to change without prior notice and do not represent contracted characteristics of the product.

Due to different materials, sub-bases and working conditions, no guarantee of an application result or any liability claims can be derived from these details or from an unwritten technical advice except for liability claims based on:

- damage to life, body or health resulting from a negligent violation of obligations or a deliberate or negligent violation of obligation of a legal representative or assistant and
- if we are charged with intention or gross negligence.

The user has to test the products for their intended use. The user is responsible for following existing laws and orders and for observing third party trade mark rights.

As all VIACOR data sheets are updated on a regular basis it is the users responsibility to obtain the most recent issue (see [www.viacor.de](http://www.viacor.de) or contact us directly).

### Manufacturer:

VIACOR Polymer GmbH, Graf-Bentzel-Str. 78, D-72108 Rottenburg, Tel: +49/7472-94999-0, [info@viacor.de](mailto:info@viacor.de), [www.viacor.de](http://www.viacor.de)