

VIASOL*UNIVERSAL* VIASOL*UNIFLEX*

vincor.

VIASOL**SYSTEMS**



Variable coatings for every floor profile

VIASOL coating systems are all rounders; their properties are constantly being redefined to reflect changing requirements. By adjusting and modifying the system build up, the floor coatings can be adapted to suit the specific needs of almost every application. Having the choice between epoxy and polyurethane chemistry opens up a further dimension to system design freedom. VIASOL industrial floors constantly demonstrate their advantages compared to other floor coverings, their

being jointless, self-levelling, liquid tight and wear resistant, to name but a few.

We exploit the development potential offered by the materials in a consistent manner and our production is always state-of-the-art. Skilled analysis and onsite advice guarantee the use of an individually adapted system.

SYSTEMBENEFITS

- wear resistant, capable of bearing medium chemical loads
- good chemical resistance and very good abrasion resistance
- surface ranging from smooth to slip-resistant
- · self-levelling, jointless
- hygienic, non-porous, liquid tight
- easy to clean
- complies with EU food industry regulations
- resistant to backward moisture penetration
- · available in a wide range of colours
- decorative effects possible with the incorporation of color flakes, logos, etc. (VIASOL**DESIGN**)

SYSTEMINFORMATION

EP and PU based multi-layer coating systems

Applicable standards:

DIN 1504-2: Products and systems to protect and repair concrete structures DIN 13813: Screed material and floor screeds - properties and requirements

Properties:

Individual layer thickness adjustment (using a toothed trowel) enables precies matching to suit requirements profile

Load tolerance:

Light to medium, depending on layer thickness

Fully developed combination of coating and decorative effects

Close co-ordination between in-house product development and qualified laying companies Including application-based on-site support

Workshops

Warehouse

Shopping centres
across sectors

Supermarkets




VIASOL**UNIVERSAL**

Seal coat	transparent or coloured,	EP water-based
(optional)	mat or glossy finish	
Coating	coloured, self-levelling	EP-based
Levelling layer		EP-based
(where required)		
Adhesive primer		EP-based
Substrate / concrete		

The versatile, easy to clean epoxy resin coating system with outstanding mechanical and chemical properties and a wide range of design options in terms of colour and surface texture

System thickness approx. $2-4\,\text{mm}$




VIASOL*UNIFLEX*

Seal coat (colour stable)	transparent or coloured, mat or satin finish, UV and wear resistant	PU-based
Coating	coloured, self-levelling	PU-based
Levelling layer		PU-based
(where required)		
Adhesive primer		EP- or PU-based
Substrate / concrete		

The viscoplastic, easy to clean polyurethane coating system with outstanding mechanical and good chemical properties and a wide range of design options

System thickness approx. 2 – 4 mm




Layer by layer your individual floor

VIACOR **Portfolio** – the tailor-made product for every application

VIASOL SYSTEMS - flooring systems for industrial and public floors VIASOL**DECK** – state-of-the-art car park flooring systems VIASEAL SPRAY COATS - advanced waterproofing VIASANBUILDING PROTECTION - for high-quality concrete repair PORPLASTIC SPORTS FLOORS – for outdoor and indoor use, for sports and leisure

VIACOR Perspective - green and sustainable the aim of keeping our planet a good place to live for the future reigns our company

- use of polyurethane as a natural renewable raw material from the castor oil plant
- fillers and pigments from natural sources e.g. quartz sands
- concentration on water-based and solvent free products
- a sustainable investment: VIASOL floors are long-lasting and can be easily revitalized for an even longer lifetime
- we control the processes of purchase, production, the products themselves and their application to be environmentally friendly



German Technology – products and floorings around the world

India Italia Ireland Russia at Thailand Luxembourg Trinidad **Hongkong** Colombia Russia Atia Belarus Saudi-Arabia Singapore Indonesia Mauritius Bosnia Vietnam Netherlands Venezuela Australia England

Traditional multi-layer Systems





VIACOR Polymer GmbH

Graf-Bentzel-Str. 78 72108 Rottenburg a. N. Germany

Tel. + 49 07472 94999-0 Fax + 49 07472 94999-39 info@viacor.de

www.viacor.de

VIACOR ASIA SDN BHD

No.5, Jalan Sungai Terap 32/182, **Bukit Rimau Industrial Park,** 40460 Shah Alam, Selangor Malaysia

Tel. + 60 3 5131 7777 Fax + 60 3 5131 7878 info@viacor.asia www.viacor.asia